

ATHER TOURISHED STRATES OFFICE

TO ALL TO WHOM THESE: PRESENTS SHALL COME: California Cooperative Rice Research Joundation, Inc.

DICTORS, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, IR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR CONDITIONING IT PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE PURPOSE, OR USING IT IN PRODUCING A HYBRID OR RENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. IN THE STATES SEED OF THIS VARIETY (I) SHALL BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED (Z) SHALL CONFORM TO THE NUMBER OF GENERATIONS SPECIFIED BY THE OWNER OF THE RIGHTS. (84 STAT. IDED, 7 U.S.C. 2321 ET SEO.)

RICE

'M-205'

In Testimon Marret, I have hereunto set my hand and caused the seal of the Mant Anxiety Hertection Office to be affixed at the City of Washington, D.C. this tenth day of November, in the year two thousand and four.

Atest

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

The following state nents are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Director

LT-470 (5-98) designed by the Plant Variety Protection Office with WordPerfect 6.0a.

APPLICATION FOR PLANT V (Instructions and information of	ARIETY PROTECTION collection burden statement	on reven	TCATE (7 U.S.C. 2421).	jured in order to determine if a p Information is held confidential i	intil certificale	rotection certificate is to be issued e is issued (7 U.S.C. 2426).		
1 NAME OF OWNER				2. TEMPORARY DESIGNATI EXPERIMENTAL NAME	ION OR	3. VARIETY NAME		
California Coopera	ntive Rice Resear	ch Fo	undation, Inc.	94-Y-615		M-205		
4 ADDRESS (Street and No., or R.F.D. No.,	- ·	(ty)		5. TELEPHONE (Include area	code)	FOR OFFICIAL USE ONLY		
Rice Experiment St P. O. Box 306				530-868-5481		PVPO NUMBER 0 0 1 0 0 0 5		
955 Butte City Hwy Biggs, CA 95917-03		, =		6. FAX (include area code)	4	0010003		
219907 41 90917-00		•		530-868-1730	f	FILING DATE		
7. IF THE OWNER NAMED IS NOT A "PERSO ORGANIZATION (corporation, padneratio,	DN", GIVE FORM OF association, etc.)		CORPORATED, GIVE E OF INCORPORATION	9. DATE OF INCORPORATE	NC	12/28/2000		
Non-profit organiz	ation		CA	1912		, , ,		
10 NAME AND ADDRESS OF OWNER REPR	RESENTATIVE(S) TO SERVE IN THI	S APPLICA	TION. (First person listed will re	ceive all papers)		FILING AND EXAMINATION		
Dr. Kent S. McKenz Director Rice Experiment St P. O. Box 306 Biggs, CA 95917-03	ation	·			·	FEES: 105 107 1		
11. TELEPHONE (Include area code)	12. FAX (Include area code)		13. E_MAIL		14. CROP	KIND (Common Name)		
530-868-5481	530-868-1730		ksmckenzie@	enzie@crrf.org Rice				
15 GENUS AND SPECIES NAME OF CROP			16. FAMILY NAME (Bolanic	NAME (Bolanical) 17. IS THE VARIETY A FIRST GENERATION HYBRID?				
Oryza sativa L.	•		Gramineae	***				
18. CHECK APPROPRIATE BOX FOR EACH A reverse) a. [7] Exhibit A. Origin and Breeding h b. [7] Exhibit B. Statement of Distincts c. [7] Exhibit C. Objective Description d. [7] Exhibit D. Additional Description e. [7] Exhibit E. Statement of the Basic	tistory of the Variety less of Variety of the Variety (Optional)	instructions	20. DOES THE COF GENERA	YES (If "yes", answer items 20 and 21 below) DWNER SPECIFY THAT SEED (the Plant Val			
f. [7] Voucher Sample (2,500 viable un verification that lissue culture will repository)	150); made payable to "Treasurer of	approved p	ublic 21. IF "YES" TO	ITEM 20, WHICH CLASSES OF OUNDATION 🔯 REGIS		ON BEYOND BREEDER SEED?		
22. HAS THE VARIETY (INCLUDING ANY HAS FROM THIS VARIETY BEEN SOLD, DISPONDING COUNTRIES? THE YES IF YES, YOU MUST PROVIDE THE DATE FOR EACH COUNTRY AND THE CIRCUM	DSED OF, TRANSFERRED, OR USI NO OF FIRST SALE, DISPOSITION, TI	ed in the (OR USE FYES, PLEA	ETY OR ANY COMPONENT OF RIGHT (PLANT BREEDER'S RIC YES LAWO 9 L ASE GIVE COUNTRY, DATE OF NUMBER. (Please use space a	FILING OR I	NO ISSUANCE AND ASSIGNED		
24. The owners declare that a viable sample of for a taber propagated variety a dissue cultum. The undersigned owner(s) is(are) the owner and is entitled to protection under the providor Owner(s) is(are) informed that false representations.	re will be deposited in a public repo r of this sesselly reproduced or tube sions of Section 42 of the Plant Varia	silory and a r propagate ity Protectio	neintained for the duration of the d plant variety, and believe(s) the n Act.	e certificate.	•			
SIGNATURE OF OWNER	Me Lenne		SIGNATURE OF	OWNER				
NAME (Please print or type)			NAME (Please p	rint or type)	·			
Kent S. McKenzie	DATE	······································	CAPACITY OR T	me		DATE		

INSTRUCTIONS

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hybrid variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,450 (\$300 filing fee and \$2,150 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then returned to the applicant as unfilled. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the masking materials to make corrections. If a certificate is allowed, you will be requested to send a check payable to "Treasurer of the United States" in the amount of \$300 for issuance of the certificates will be issued to owner, not licensee or agent.

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvp.htm

ITEM

18a. Give:

- (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
- (2) the details of subsequent stages of selection and multiplication;
- (3) evidence of uniformity and stability; and
- (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
 - (1) identify these varieties and state all differences objectively;
 - (2) attach statistical data for characters expressed numerically and demonstrate that these are clear differences; and
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 5.5 of the Act for instructions on claiming the benefit of an earlier filing date.

22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety [including any harvested material] or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

Wi 205 was jointly released by California Cooperative Rice Research Foundation, California Agriculture Experiment Station, and USDA-ARS March 21, 2000. Foundation seed was first distributed to California rice seed producers April 11, 2000 for planting in 2000.

23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)

M-205 was issued US Patent No. 6,492,582 issued 10 Dec. 2002

RAD 9/4/2004

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership or assignment or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the variety names proposed by contacting: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center—East, Beltsville, MD 20705. Telephone: (301) 504-8089.

Public reporting burden for this collection of information is estimated to everage 30 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments repending this burden estimate or any other aspect of this collection of information, including suggestions for educing this burden, to Department of Agriculture, Clearance Officer, OPAM, AG Box 7630, Jamie L. Written Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your steer. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a weight OLMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sea, religion, age, disability, political beliefs, and marital or familial status. (Not all violated bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Dominurications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is in equal opportunity employer.

38.T-470 (6-98) designed by the Plant Variety Protection Office with WordPerfect 6.0s. Replaces STO-470 (03-96) which is obsolete.

'M-205' Rice

18a. Exhibit A. Origin and Breeding History of the Variety

1) Genealogy

M-205 is an early, semidwarf, California glabrous, Calrose quality medium-grain experimental line that has been evaluated in large plot yield tests since 1994. It was tested under the experimental designation 94-Y-615. It is an early selection from the 1989-1990 winter greenhouse cross R16377 and has the pedigree 90-Y-63/M202, thus the full pedigree is M-201/M7//M-201/3/M-202. M-205 was developed by the California Cooperative Rice Research Foundation (CCRRF) at the Rice Experiment Station (RES), Biggs, CA. All varieties used to develop M-205 are considered Calrose medium-grains with semidwarf height. 90-Y-63 was an early experimental line tested in statewide tests in 1989 and 1990 and has the pedigree M-201/M7//M-201. M-202 is the only variety currently in commercial production in California. M-205 is the product of modified pedigree breeding. Early panicle selections from the 1991 F₂ nursery were bulked 6 panicles per row in the 1991-1992 Hawaii Winter Nursery. Panicle selections grouped from the R16377 Hawaii rows were planted in the 1992 RES individual rows. The 1992 row 9161 was identified as the source of 1993 small plot 1165 which produced seed for 94-Y-615 entry in the RES Preliminary Yield Trial. It has been tested in the University of California Cooperative Extension (UCCE) Statewide Yield Tests, 1995 to 1999.

2) Selection and multiplication

M-205 selection criteria were for shorter height and improved resistance to lodging. Panicle selections were first taken for headrows produced in 1995 and continued through 1999. The 1995 panicles were initially purified in the 1995-1996 Hawaii Winter Nursery and in 1996 headrows at RES. Panicle selections were taken in 1997 from the bulk seed of the 1996 headrows and advanced to the 1997-1998 Hawaii Winter Nursery. The 1997-1998 Hawaii rows were bulked to plant the 1998 breeder seed and Hawaii panicle used to plant 158 headrows. The 1998 breeder seed was used to plant the 1999 foundation seed and the bulk of the headrows planted the 1999 breeder production area. The 1998 headrow panicle selections were used to plant 400 headrows in 1999.

3) Uniformity and stability

Panicle selections were first taken for headrow production in 1995 and continued through 1998. During the headrow production any putative segregating or variant rows were removed from the field. Visual inspection (seedling vigor, heading date, plant height, grain shape and size, etc.) of headrows were used as criteria to confirm cultivar purity. This is standard procedure at RES to monitor and maintain breeder seed of the 13 currently grown California rice varieties. M-205 was approved for certification by the California Crop Improvement Association in 2000. Classes of seed will be breeder, foundation, registered, and certified seed produced in California. Foundation seed can be used to produce foundation seed if necessary and headrow and breeder seed will be produced in foundation fields as necessary to maintain cultivar purity. M-205 has been observed in seed increase and production fields for five generations (1996 to 1999) and found to be uniform and stable.

4) Variants

The breeder, foundation, and headrows were rogued multiple times and off-types, putative out crosses, and other visual variants were removed from the field. These included later, taller, smooth medium-grains, red apiculus longer medium-grain out crosses, pubescent medium-grain of M-205 maturity, smooth tetraploids and one late fat short-grain in a total frequency of 0.15% in the 1998 breeder field and 0.03% in 1999 foundation field.

18b. Exhibit B. Statement of Distinctiveness

1) Variety Differences

M-205 is a semidwarf, early maturing, medium-grain being released to serve the Calrose medium-grain market. "Calrose" was the founding California medium-grain rice variety, the ancestor of California medium-grains, and is now recognized as a market class term for California medium-grain rice. Comparisons for evaluation purposes were made to M-202, which is the predominant California medium grain. M-205 is shorter in height and has improved resistance to lodging when compared to M-202. M-205 is most similar to M-202 and is distinguished by it's shorter height and improved resistance to lodging.

2) Statistical data

Agronomic characteristics: Agronomic characteristics (seedling vigor through yield) were collected in multiple location University of California Cooperative Extension (UCCE) Statewide Yield Tests in 1995 to 1999 are summarized in Table 1. M-205 is significantly shorter in height and improved lodging resistance when compared to M-202. Tables 2 & 3 show individual year statistical evidence collected from replicated large plot yield tests.

Table 1. Summary of agronomic characteristics for M-202 and M-205, 1994 to 1999.

Character	M-202	M-205
Seedling vigor score†	4.4	4.1
Days 50% heading	86	. 89
Plant height (cm)	98	93*
Lodging (%)	49	16*
Blanking – Greenhouse	23	26
Blanking – Davis	11	. 8
Blanking – San Joaquin	21	12
Overall blanking mean	18	15
Stem rot (score)	6.0	5.4
Harvest moisture (%)	18.9	18.6
Yield (lb/acre @ 14%)	8448	9490*
Total milled rice (%)	67.2	68.9
Whole kernel milled rice (%)	61.0	61.8
Brown Rice 1000 grain wt (gms)	24.0	25.2
Brown Rice length (cm)	6.2	6.4
Brown Rice width (cm)	3.0	2.8
Ratio (L/W)	2.06	2.29

[†] Seedling vigor visual score where 1=poor and 5=excellent.

^{*} Significantly different at the 0.05 probability level.

Table 2. Plant heights (cm) of M-202 and M-205 from 1995 to 1999 at the Rice Experiment Station, Biggs, CA.

Year	M-202 (cm)	M-205 (cm)	LSD
1995	94*	84	5
1996	104*	97	5
1997	97*	91	5
1998	101*	95	4
1999	94*	90	3

^{*} Significantly different at the 0.05 probability level.

Table 3. Percent lodging of M-202 and M-205 from 1995 to 1999 at the Rice Experiment Station, Biggs, CA.

Year	M-202 (%)	M-205 (%)	LSD
1995	10*	1	3
1996	35*	6	11
1997	16*	2	12
1998	80*	13	18
1999	27*	5	13

^{*} Significantly different at the 0.05 probability level.

18c. Exhibit C. Objective Variety Description - Rice

See attached US Plant Variety Protection form "Objective Variety Description – Rice (Oryza sativa L)."

(RICE

U.S. DEPARTMENT OF AGRICULTURE PLANT VARIETY PROTECTION OFFICE, AMS, USDA NATIONAL AGRICULTURAL LIBRARY Bldg., Rm. 500 10301 BALTIMORE Blvd. BELTSVILLE, MD 20705

OBJECTIVE VARIETY DESCRIPTION

		NCE (Or yza sain	<i>(</i> 1)			
Name of Applicant(s)			Temporary Des	ignation	Variety Name	
California Coope	erative Rice Research Four	ndation, Inc.	94-Y-61	5	 M-205	
Address (Street and No.	or R.F.D. No., City, State, and Zip (Code)			FOR OFFICIAL US	EONLY
Rice Experime 955 Butte Cit P. O. Box 306 Biggs, CA 959	Ty Hwy.				PVPO Number	· · · · · · · · · · · · · · · · · · ·
Place the appropriate nu corresponding to descri	umber that describes the character of iptors developed by IBGR-IRRI Rice readily by describing as many cha	e Advisory Commit	tee and the US R	below. Th	nese numbers are also Advisory Committee.	code numbe Breeders w
1. MATURITY - Days	to Heading (Seeding to 50% Heading	g):			·	
A. South:	(Location:		at		kg/ha (Nitrogen rate)	
Numb	er of days					
Days e	earlier than Check variety:	· · · · · · · · · · · · · · · · · · ·	٠.			
Days s	same as Check variety:					
Days I	ater than Check variety:					
Maturi	ity Class (50% heading) - South:	1 = Very early (le 3 = Intermediate ((86 - 100) (more than 115)	· .
B. California:	(Location: Biggs, CA)	at 135		kg/ha (Nitrogen rate)
89 Numbe	er of days		(fallowed	land)		
Days e	earlier than Check variety:					
Days s	ame as Check variety:					•
3 Days la	ater than Check variety: M-202					
2 Maturi	ty Class (50% heading) - California:	1 = Very early (le 3 = Intermediate (ss than 91 days) 98 - 104)		(91 - 97) (more than 104 days)	tale,
2. CULM:						
1 ANGL	E (Degrees from Perpendicular after	Flowering:			en e	
1 = Ere 7 = Spr	ect (less than 30°) 3 = Intermediate reading (more than 60° but the culms	(about 45°) do not rest on the g	5 = Open (about ground)	60°)		•

9 = Procumbent (the culm or its lower part rests on the ground surface)

LENGTH

```
9 3 . 0 cm (Soil level to top of extended panicle on main stem)
            5.0
                       cm Shorter than Check variety: M-202
                       Length same as Check variety:
                       cm Longer than Check variety:
               HEIGHT CLASS:
                                       1 = Semidwarf 2 = Short
                                                                      3 = Medium
                                                                                      4 = Tall
        1
               INTERNODE COLOR (After flowering): 1 = Green
                                                                      2 = Light Gold 3 = Purple lines 4 = Purple
               STRENGTH (Lodging resistance): 1 = Strong (no lodging)
        1
                                                                                      3 = Moderately strong (most plants leaning)
                                               5 = Intermediate (most plants lodged)
                                                                                      7 = \text{Weak (most plants flat)}
                                               9 = Very weak (all plants flat)
3. FLAG LEAF (After Heading):
                                               1 1 0
        27.5
                       cm LENGTH
                                                              mm WIDTH
               PUBESCENCE: 1 = Glabrous
                                              2 = Intermediate
                                                                      3 = Pubescent
         1
               LEAF ANGLE (after heading):
                                                              3 = Intermediate 5 = Horizontal 7 = Descending
                                              1 = Erect
         22
               BLADE COLOR:
                                       1 = Pale Green
                                                              2 = Green
                                                                              3 = Dark Green 4 = Purple tips
                                       5 = Purple margins
                                                              6 = Purple biotch 7 = Purple
        1
               BASAL LEAF SHEATH COLOR: 1 = Green
                                                              2 = Purple lines 3 = Light purple 4 = Purple
4. LIGULE:
                       mm LENGTH (from base of collar to the tip, at late vegetative stage)
        1
               COLOR (Late vegetative state):
                                             1 = White
                                                              2 = Purple lines
                                                                                     3 = Purple
                               1 = Acute to acuminate 2 = 2-Cleft
        1
               SHAPE:
                                                                      3 = Truncate
        1
               COLLAR COLOR (late vegetative stage): 1 = Pale green
                                                                    2 = Green
                                                                                     3 = Purple
        1
               AURICLE COLOR (late vegetative stage): 1 = Pale green
                                                                    2 = Purple
5. PANICLE:
                      cm LENGTH
       1 6 4
               TYPE: 1 = Compact
                                      5 = Intermediate
                                                              9 = Open
       2
               SECONDARY BRANCHING:
                                              I = Absent
                                                              2 = Light
                                                                              3 = \text{Heavy}
                                                                                              4 = Clustering
       3
              EXSERTION (near maturity):
                                              1 = Less than 90%
                                                                      2 = 90 - 99%
                                                                                     3 = 100\% exserted
       2
              AXIS: 1 = Straight
                                      2 = Droopy
       1
              SHATTERING: 1 = Very low (less than 1%)
                                                              3 = Low (1 - 5\%)
                                                                                     5 = Moderate (6 - 25\%)
                               7 = Moderately high (26 - 50\%)
                                                              9 = \text{High (more than 50\%)}
        3
              THRESHABILITY:
                                       1 = Difficult
                                                      2 = Intermediate
                                                                              3 = Easy
```

6. GR

6. GR/	AIN (Spik	кelet):					20010005	8
	1	AWNS (after fi	ull heading):	0 = Absent 7 = Long and	l = Short and p partly awned	partly awned 9 = Long and fu	5 = Short and fully awned	
	2	APICULUS CO	OLOR (at maturity)	y): I = White 5 = Red apex		3 = Brown (tawr 7 = Purple apex		
		STIGMA COL	LOR: $i = Wi$	hite $2 = I$	Light green 3 = Ye	ellow 4 = Lig	ght purple 5 = Purple	
		LEMMA AND	PALEA COLOR	(at maturity):			•	
		0 = Straw 3 = Brown furce 6 = Purple spots 9 = Black		4 = Brown (ta)	or gold furrows on sumy)	straw background	2 = Brown spots on straw (pieba 5 = Reddish to light purple 8 = Purple	ıld)
	2	LEMMA AND) PALEA PUBESC			airs on lemma keel ong hairs (velvety)	3 = Hairs on upper portion	
	1_	SPIKELET STI	ERILITY (at matur		lighly fertile (>90% Highly sterile (<50%	%) 3 = Fertile (75-96 % to trace) 9 = Con	90%) 5 = Partly sterile (50-74) mpletely sterile (0%)	4%]
7. GRA	AIN (Seed	i):					· · · · · · · · · · · · · · · · · · ·	
		SEED COAT (6	bran) COLOR:	1 = White 5 = Red	2 = Light brown 6 = Variable pur		eckled brown 4 = Brown	
	1	ENDOSPERM	TYPE: $1 = No$	onglutinous (nonv	waxy) $2 = G1$	utinous (waxy)	3 = Indeterminate	
ter en en		ENDOSPERM	TRANSLUCENCY	Y: 1 = C	lear $5 = Int$	te rm ediate	9 = Opaque	
		ENDOSPERM	CHALKINESS:	0 = None 5 = Medium (1	10-20% of sample)		all (less than 10% of sample) ge (more than 20% of sample)	
	0_	SCENT (Aroma	a): $0 = No$	onscented 1 = L	ightly scented	2 = Scented		
	SHAPE	ECLASS (length/v	width ratio):					
		PADDY	I = Short (2.2:1	and less) $2 = N$	Medium (2.3:1 to 3.3	3:1) 3 = Lor	ng (3.4:1 and more)	
	2	BROWN	1 = Short (2.0:1	and less) $2 = N$	Medium (2.1:1 to 3.0):1) 3 = Lor	ng (3.1:1 and more)	
	2	MILLED	1 = Short (1.9:1	and less) $2 = N$	Medium (2.0:1 to 2.9):1) 3 = Lor	ng (3.0:1 and more)	
	MEASU Grain Fo	UREMENTS: Form Length (mm)	1 Width (mm)	Thick (mm)		L/W Ratio	1000 Grains (grams)	

MEASUREMI Grain Form	ENTS: Length (mm)	Width (mm)	Thickness (mm)	L/W Ratio	1000 Grains (grams)
Paddy	8.3	3.3	·	2.52	29.2
Brown	6.4	2.8	·	2.29	25.2
Milled	6.0	2.6		2.31	22.0
19.4 Millin	ng quality (% hul	ls) <u>6</u>	51.8 Milling yield (% v	whole kernel (head) r	ice to rough rice)
C C 24 m		1/	. 7		

6.6 % Protein 14.7 % Amylose

Alkali Spreading value: 6 1.5% KOH Solution 6.4 1.7% KOH Solution

7. GRA	IN (See	d): (contin	ued)										2 A A	1 0	0058
	7	GELAT	INIZA	TION TE	EMPER.	ATURE 1	ГҮРЕ:	1 = H	ligh	5 = In	ıtermedi		7 = I		0000
:	Amylo Peak	ographic Pa	este Vi Hot P		Brabende		ed Paste		'Brea	kdown' 'S	etback'				
	258		21	7		29	3								
8. RESI	STANC	E TO LOV	W TEN	/PERATI	JRE:										
		GERMI	NATIO	ON AND	SEEDL	ING VIG	OR:	1 = L	ow	2 = M	ledium	3 = F	Iigh		
	3	FLOWE	RING	(Spikelet	fertility	·):		1 = L	ow	2 = M	ledium	3 = H	_		
9. SEEI	DLING V	VIGOR NO	OT RE	LATED 1	O LOV	V TEMPE	ERATUR	E:					-		
	3	VIGOR:		1 = Lo	w	2 = N	ledium	3 = H	igh						٠
10. BLA	AST RES 0 = Imi	SISTANCE	E (<i>Pyri</i> 1 = Re	icularia C esistant	ryzae). 3 = M	(Internat	ional race y resistan	es found t 5 = In	under ref termedia	erences) te 7 = M	oderatel	y suscept	ible	9 = S	Susceptible
Group				IΒ			IC		ID		ΙE	IG	IH		
Number		1	5	45	49	54	1	17	1	13	1	1	1		
Resistan	ice											7			
11. RES	ISTANO 0 = Imn	CE TO OT		DISEASE esistant		oderatels	, recistor	+ 5 – I		to 7 - 16			** 1		
	V Min			Leaf Spo						te $7 = M$					usceptible
		Leaf Smi		_	•	pora ory.	zae	_5		gate Shea	ath Spot	Rhizocto	nia oryza	ie-satīvai	2
				_			•	<u>.</u>	_	ht Head					
		Brown Le	ear Sp	(=Bipo	inospor laris ory hslera c	zae)	ae		Kerne	l Smut		ossia hori letia barc			
		Leaf Scal	d Geri	lachia ory	zae				White	Tip Nem	atode A	phelench	oides bes	seyi	
		Hoja Blar	nca Vi	rus				5	Stem]	Rot <i>Sclere</i>	otium or	yzae			
		Sheath Ro	ot Sara	ocladium	oryzae								-		
		Pythium S	Seedlir	ng Blight	Pythium	sp.	•		Bacter	rial Blight	t Xantho	monas ca	ampestris	pv. <i>oryz</i>	ае
		Sheath Sp	oot <i>Rhi</i>	izoctonia	oryzae				Sheath	n Blight <i>R</i>	?hizoctor	nia solani	i	•	
		Other:													
		SISTANCE								_					
	0 = I mm	iune 1	l = Re	sistant	3 = M	oderately	resistant	5 = Int	ermediat	te $7 = Mo$	oderately	y suscept	ible	9 = S	usceptible
		Grasshop	per						Rice S	tink Bug	Oebalus	s pugnax			
· -		Rice Leaf	hoppe	r				· 	Swarn	ı Caterpil	lar			-	
		Rice Hisp	a					9	Rice V	Vater We	evil <i>Liss</i>	orhoptru	s oryzoph	iilus	
	· .	Rice Mide	ge						Rice S	talk Bore	r Chilo j	plejadellı	us		
_		Least Skiţ	per					·	Sugaro	ane Bore	r Diatra	iea sacch	aralis		9
									1111	gradient de la constitución de l	. 4 1				

13. OTHER DESCRIPTORS: If there are other characters that describe this variety, please indicate below: 2 0 0 1 0 0 5 8

REFERENCES

- 1. C. R. Adair et al. 1972. Rice in the United States: Varieties and Production. USDA Handbook No. 289 (Rev.), 124 pp.
- 2. J. G. Atkins et al. 1967. An International Set of Rice Varieties for Differentiating Race of Pyricularia Oryzae. Phytopath. 57:297-301.
- 3. IBPGR-IRRI Rice Advisory Committee. 1980. Descriptors for Rice Oryza sativa L.). International Rice Research Institute. 21 pp.
- 4. K. C. Ling and S. H. Ou, 1969. Standardization of the International Race Numbers of Pyricularia Oryzae. Phytopath. 59:339-342.
- 5. B. D. Webb et al. 1985. Utilization Characteristics and Qualities of United States Rice. In Proceedings on Rice Grain Quality and Marketing. International Rice Research Institute (IRRI), Los Banos, Philippines. p. 25-35.

U.S. DEPARTMENT OF AGRICULTURE The following statements are made in accordance with the Privacy Act of AGRICULTURAL MARKETING SERVICE 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995. **EXHIBIT E** Application is required in order to determine if a plant variety protection STATEMENT OF THE BASIS OF OWNERSHIP certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426). 1. NAME OF APPLICANT(S) 2. TEMPORARY DESIGNATION 3. VARIETY NAME OR EXPERIMENTAL NUMBER California Cooperative Rice 94-Y-615 M - 205Research Foundation, Inc. 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 5. TELEPHONE (include area code) 6. FAX (include area code) Rice Experiment Station 530-868-5481 530-868-1730 P. O. Box 306 7. PVPO NUMBER Biggs, CA 95917-0306 200100058 8. Does the applicant own all rights to the variety? Mark an "X" in appropriate block. If no, please explain. 9. Is the applicant (individual or company) a U.S. national or U.S. based company? YES NO If no, give name of country 10. Is the applicant the original owner? X YES NO If no, please answer one of the following: a. If original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. national(s)? ☐ YES ON If no, give name of country b. If original rights to variety were owned by a company(les), is(are) the original owner(s) a U.S. based company? If no, give name of country NO 11. Additional explanation on ownership (if needed, use reverse for extra space): M-205 was developed by Dr. Carl W. Johnson who is a plant breeder employed by the California Cooperative Rice Research Foundation, Inc. (CCRRF). PLEASE NOTE: Plant variety protection can be afforded only to owners (not licensees) who meet one of the following criteria: 1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species, 2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species. 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria: The original breeder/owner may be the individual or company who directed final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definition. According to the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number this information collection is CSST-COSS. The time required to compete this information collection is estimated to average 10 minutes per response, including the time for review searching existing data sources, gastrering and maintaining the data needed, and completing and reviewing the collection of information. The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and mental or familial status. (flot all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braile, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDO). To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20258, or call 1-800-245-6340 (voice) or (202) 720-1127 (FDD). USDA is an equal

employment opportunity employer,

STD-470-E (07-97) (Destroy previous editions).

Electronic version designed using WordPerfect InForms by USDA-AMS-IMB.

11